

DIN1505-B

CABLE SERIES

Laird DIN1505-B Belden 1505A RG59 3G-SDI DIN 1.0/2.3 to BNC Male Video Adapter Cable

Introducing our high-performance 3G SDI Amphenol DIN1.0/2.3 to Kings Black & Gold BNC Video Adapter Cable, using advanced Belden 1505A Coax. These cables offer top-tier high-speed performance, ideal for cutting-edge products like Red One cameras and Harris X50 routers. Designed for quick-patch connections, these adapter cables convert DIN RF Video to BNC, ensuring seamless integration in the evolving broadcast industry.

Features:

- Belden 1505A cable
- Kings 2065-2-9 connectors
- Amphenol 75 Ohm 1.0/2.3 DIN Plug
- Supports 3Gb/s at 212 ft. (SMPTE ST 242) and 6Gb/s at 287 ft. (SMPTE 2081-1)

Specifications:

- **Belden 1505A RG59/20 SDI Coaxial Cable:**
 - Number of Coax: 1
 - RG Type: 59/U
 - AWG: 20
 - Stranding: Solid
 - Conductor Material: BC - Bare Copper
 - Insulation Material: Gas-injected FHDPE - Foam High Density Polyethylene
 - Outer Shield Material Trade Name: Duofoil
 - Outer Shield Material: Dual Shield - Bonded Duofoil/TC - Tinned Copper
 - Outer Jacket Material: PVC - Polyvinyl Chloride
 - Plenum (Y/N): N
 - Plenum Number: BL-1506A
 - Nom. Characteristic Impedance: 75 +/- 1.50
 - Applications: Precision Video Cable for Analog and Digital, Broadcast Coax, Precision Video Cable for Analog and Digital, HDTV/SDI, Coax Cables

